

**Reference** - High efficiency speakers, 90°x90° Tracrix® Horns, Aluminium LTS compression drivers, Copper-spun IMG woofers

**Finish:**  
**Black**



<b>R28F</b>	Floorstanding 2-way, 98dB Sensitivity, 1" Aluminium tweeter, Dual 8" woofers	pr	<b>13 990</b>
<b>R26F</b>	Floorstanding 2-way, 97dB Sensitivity, 1" Aluminium tweeter, Dual 6.5" woofers	pr	<b>11 490</b>
<b>R24F</b>	Floorstanding 2-way, 97dB Sensitivity, 1" Aluminium tweeter, Dual 4" woofers	pr	<b>9 490</b>
<b>R25C</b>	Centre 2-way, 98dB Sensitivity, 1" Aluminium, Dual 5.25" woofers	ea	<b>3 990</b>
<b>R14S</b>	Rear Mono-pole WDST®, 89dB Sensitivity, Dual 1" Aluminum tweeters, 4" woofer	pr	<b>4 590</b>
<b>R14M</b>	Bookshelf 2-way, 90dB Sensitivity, 1" Aluminium tweeter, Single 4" woofer	pr	<b>3 990</b>
<b>R15M</b>	Bookshelf 2-way, 94dB Sensitivity, 1" Aluminium tweeter, Single 5.25" woofer	pr	<b>4 590</b>
<b>R10SW</b>	Subwoofer 10" Active, Bass Reflex, 300w Digital amplifier	ea	<b>6 490</b>
<b>R12SW</b>	Subwoofer 12" Active, Bass Reflex, 400w Digital amplifier	ea	<b>7 390</b>

**Reference Premiere** - High efficiency speakers, 90°x90° Tracrix® Horns, Titanium LTS compression drivers, Cerametallic™ woofers

**Finish:**  
**Black**



<b>RP280FA</b>	Floorstanding Atmos 2-way, Main Ch 98dB Sensitivity, 1" LTS Titanium tweeter, Dual 8" woofers Atmos CH (Height) Atmos specification, 1" LTS Titanium tweeter, 4" woofer - Real wood veneer	pr	<b>46 990</b>
<b>RP450CA</b>	Centre 2-way, 97dB Sensitivity, 1" LTS Titanium tweeter, Quad 5.25" woofers - Real wood veneer	ea	<b>16 690</b>
<b>RP140SA</b>	Height 2-way, Atmos specification, 1" LTS Titanium tweeter, 4" woofer	pr	<b>9 790</b>
<b>RP280F</b>	Floorstanding 2-way, 98dB Sensitivity, 1" LTS Titanium tweeter, Dual 8" woofers	pr	<b>24 190</b>
<b>RP260F</b>	Floorstanding 2-way, 97dB Sensitivity, 1" LTS Titanium tweeter, Dual 6.5" woofers	pr	<b>18 690</b>
<b>RP250F</b>	Floorstanding 2-way, 97dB Sensitivity, 1" LTS Titanium tweeter, Dual 5.25" woofers	pr	<b>14 990</b>
<b>RP450C</b>	Centre 2-way, 97dB Sensitivity, 1" LTS Titanium tweeter, Quad 5.25" woofers	ea	<b>11 890</b>
<b>RP440C</b>	Centre 2-way, 97dB Sensitivity, 1" LTS Titanium tweeter, Quad 4.5" woofers	ea	<b>9 750</b>
<b>RP250C</b>	Centre 2-way, 96dB Sensitivity, 1" LTS Titanium tweeter, Dual 5.25" woofers	ea	<b>7 990</b>
<b>RP250S</b>	Rear Mono-pole WDST®, 95dB Sensitivity, Dual 1" LTS Titanium tweeters, Dual 5.25" woofers	pr	<b>15 690</b>
<b>RP240S</b>	Rear Mono-pole WDST®, 93dB Sensitivity, Dual 1" LTS Titanium tweeters, Dual 4.5" woofers	pr	<b>11 190</b>
<b>RP160M</b>	Bookshelf 2-way, 95dB Sensitivity, 1" LTS Titanium tweeter, Single 6.5" woofer	pr	<b>12 190</b>
<b>RP150M</b>	Bookshelf 2-way, 92dB Sensitivity, 1" LTS Titanium tweeter, Single 5.25" woofer	pr	<b>9 750</b>
<b>R115SW</b>	Subwoofer 15" Cerametallic, Front Firing slot port, 800w Digital amplifier	ea	<b>17 990</b>
<b>R112SW</b>	Subwoofer 12" Cerametallic, Front Firing slot port, 600w Digital amplifier	ea	<b>12 990</b>
<b>R110SW</b>	Subwoofer 10" Cerametallic, Front Firing slot port, 450w Digital amplifier	ea	<b>9 990</b>
<b>WA-2CE</b>	Wireless subwoofer transmitter & receiver	ea	<b>2 990</b>

**Reference Powered Monitors** - With integrated phono pre-amp, Bluetooth® wireless technology, digital optical, analog RCA and USB inputs, fully featured IR remote.

Finish:  
Black



**R15-PM** Bookshelf 2-way, Active Powered Monitors, 5,25" Woofer, 1" aluminium 90° x 90° Tractrix® Horns  
Input : RCA phono level inputs with switch for Phono/Line, USB, Optical, 3,5mm + Subwoofer Out pr **8 990**

**HD Wireless** - High efficiency speakers, 90°x90° Tractrix® Horns, Titanium LTS compression drivers, Cerametallic™ woofers. WISA wireless technology, 24bit / 96 kHz

Finish:  
Black



**RP440WF** Floorstanding 2-way, 250W active, 1" LTS Titanium tweeter, Quad 4.5" woofers pr **39 990**  
**RP440WC** Centre 2-way, 250W active, 1" LTS Titanium tweeter, Quad 4.5" woofers ea **15 990**  
**RP140WM** Bookshelf 2-way, 100W active, 1" LTS Titanium tweeter, Single 4.5" woofer pr **19 990**  
**RP110WSW** Subwoofer 10" Cerametallic, Front Firing slot port, 500w Digital amplifier ea **15 990**  
**RP-HUB1** HD Control Centre - Inputs: 4 HDMI (4K), Bluetooth, 2 Digital, 1 Analogue. ea **10 990**

**THX** - High efficiency Home Theatre speakers, 6"x10" Tractrix® Horns, Titanium HF compression drivers, Cerametallic™ woofers



**KL525** LCR 2-Way, THX Ultra2, 94dB Sensitivity, 1" Titanium tweeter, 2 x 5.25" woofers ea **15 490**  
**KL650** LCR 2-Way, THX Ultra2, 97dB Sensitivity, 1" Titanium tweeter, 2 x 6.5" woofers ea **18 290**  
**KS525** Surround 2-Way, THX Ultra2, 96dB Sensitivity, 2 x 1" Titanium tweeters, 2 x 5.25" woofers pr **26 390**  
**KW120** Subwoofer, Front-firing, 12" woofer, bass reflex via front slot port ea **25 950**  
**KA1000** 1000w Class D subwoofer amp - can drive 1 or 2 subwoofers ea **25 590**

**Gallery - Flat panel speakers. Wall or Stand-mount**



<b>G42</b>	42" long 3-in-1 LCR soundbar, 92dB sensitivity. 4x3.5" woofers, 3x1" Titanium Tractrix horn tweeters	ea	<b>13 990</b>
<b>G28</b>	28" long speaker, 94dB sensitivity. 2x3.5" woofers, 2x3.5" passives, 1" Titanium Tractrix horn tweeter	ea	<b>9 890</b>
<b>G16</b>	16" long speaker, 94dB sensitivity. 2x3.5" woofers, 1" Titanium Tractrix horn tweeter	ea	<b>5 990</b>
<b>G12</b>	12" long speaker, 91dB sensitivity. 1x3.5" woofer, 1" Titanium Tractrix horn tweeter	ea	<b>3 990</b>

**Reference Sound Bars with Wireless Subwoofers NEW**



<b>RSB-6</b>	2 Way Soundbar, 2 x .75' horn loaded dome tweeters, 2 x woofers with a 6.5" down firing wireless subwoofer. Inputs: 1 x HDMI 2.0 with HDCP2.2, 1 x Optical, 1 x 3.5mm analogue with Bluetooth@ 2.0 <a href="#">(more info...)</a>	*	<b>7 990</b>
<b>RSB-8</b>	2 Way Soundbar, 2 x .75' horn loaded dome tweeters, 2 x woofers with a 6.5" down firing wireless subwoofer. Inputs: 1 x HDMI 2.0 with HDCP2.2, 1 x Optical, 1 x 3.5mm analogue with Bluetooth@ 2.0 Built in Wi-Fi for DTS Play-Fi & Wireless Audio multiroom ready. <a href="#">(more info...)</a>	*	<b>9 990</b>
<b>RSB-11</b>	2 Way Soundbar, 2 x .75' horn loaded dome tweeters, 4 x woofers with a 8" side firing wireless subwoofer. Inputs: 3 x HDMI 2.0 with HDCP2.2, 1 x Optical, 1 x 3.5mm analogue with Bluetooth@ 2.0 <a href="#">(more info...)</a>	*	<b>11 490</b>
<b>RSB-14</b>	2 Way Soundbar, 2 x .75' horn loaded dome tweeters, 4 x woofers with a 8" side firing wireless subwoofer. Inputs: 3 x HDMI 2.0 with HDCP2.2, 1 x Optical, 1 x 3.5mm analogue with Bluetooth@ 2.0 Built in Wi-Fi for DTS Play-Fi & Wireless Audio multiroom ready. <a href="#">(more info...)</a>	*	<b>12 990</b>

**Outdoor**



<b>CP6</b>	2-way, 94dB Sensitivity, .75" Aluminium tweeter, 90° x 90° Tractrix® Horn, Single 5.25" IMG woofer	pr	<b>6 890</b>
<b>AW525</b>	2-way, 94dB Sensitivity, 1" Titanium tweeter, 90° x 90° Tractrix® Horn, Single 5.25" IMG woofer	pr	<b>7 350</b>
<b>AW650</b>	2-way, 95dB Sensitivity, 1" Titanium tweeter, 90° x 90° Tractrix® Horn, Single 6.5" IMG woofer	pr	<b>9 450</b>
<b>AWR650SM</b>	Rock 2-way, 94dB Sensitivity, Dual .75" Dome tweeter, Single 6.5" dual voice coil woofer	ea	<b>7 990</b>
<b>CA-800T</b>	2-way, Built in 60watt, 70V/100V multi-tap transformer with 8-ohm bypass, 1" Titanium, 90° x 90° Tractrix®	pr	<b>15 490</b>

*These are suggested prices only and are not binding. Prices include VAT and are subject to change without notice E+OE*

**Garden Architectural Speakers & Subwoofers**



<b>PRO500T-LS</b>	<b>LANDSCAPE SATELLITE:</b> 5" IMG woofer, Tractrix horn-loaded 1" Aluminum Dome Tweeter, 105° horizontal dispersion pattern, 8 ohm / 70V/100V compatibility, All-weather durability with IP45 rating	ea	<b>6 250</b>
<b>PRO650T-LS</b>	<b>LANDSCAPE SATELLITE:</b> 6.5" IMG woofer Tractrix horn-loaded 1" Aluminum Dome Tweeter, 105° horizontal dispersion pattern, 8 ohm / 70V/100V compatibility, All-weather durability with IP45 rating	ea	<b>7 950</b>
<b>PRO-10SW-LS</b>	<b>LANDSCAPE SUBWOOFER:</b> 10" IMG woofer, Dual voice coil design for great sounding 70V, All-weather durability with IP45 rating.	ea	<b>15 990</b>
<b>PRO-12SW-LS</b>	<b>LANDSCAPE SUBWOOFER:</b> 12" IMG woofer, Dual voice coil design for great sounding 70V, All-weather durability with IP45 rating	ea	<b>24 990</b>
<b>PRO-10GS</b>	10-INCH LANDSCAPE SPEAKER GROUND STAKE	ea	<b>POR</b>
<b>PRO-18GS</b>	18-INCH LANDSCAPE SPEAKER GROUND STAKE	ea	<b>POR</b>

**Custom DSP Amplifiers**



<b>KD-A500</b>	<b>DSP Amplifier:</b> 500W Total System Power (4 x 125W), High performance power 70V / 100V / Low Impedance Compatibility, DSP control and set-up through web interface	ea	<b>19 990</b>
<b>KD-A1000</b>	<b>DSP Amplifier:</b> 1000W Total System Power (4 x 250W), High performance power, 70V / 100V / Low Impedance Compatibility, fully matrixed 4x4 I/O, balanced Phoenix connectors, RCA inputs and outputs	ea	<b>31 790</b>

*These are suggested prices only and are not binding. Prices include VAT and are subject to change without notice E+OE*

**Custom**



<b>R2650C II</b>	2-way, 91dB Sensitivity, 1" Silk tweeter, 6.5" Polypropylene woofer	210mm	ea	<b>1 550</b>
<b>CDT2800C II</b>	2-Way, 93dB Sensitivity, 1" Silk tweeter, 100° Tractrix® horn, 8" Polypropylene woofer	249mm	ea	<b>1 990</b>
<b>CDT3650C II</b>	2-Way, 93dB Sensitivity, 1" Alu tweeter, 100° Tractrix® horn, 6.5" IMG woofer	211mm	ea	<b>3 690</b>
<b>CDT3800C II</b>	2-Way, 92dB Sensitivity, 1" Alu tweeter, 100° Tractrix® horn, 8" IMG woofer	249mm	ea	<b>4 150</b>
<b>CDT5800C II</b>	2-Way, 95dB Sensitivity, 1" Titan tweeter, 100° Tractrix® horn, 8" Cerametallic™ woofer	249mm	ea	<b>5 490</b>
<b>R2650CSM II</b>	2-way Stereo, 94dB Sensitivity, 2x1" Silk tweeter, 6.5" Polypropylene woofer	210mm	ea	<b>2 290</b>
<b>R2800CSM II</b>	2-way Stereo, 94dB Sensitivity, 2x1" Silk tweeter, 8" Polypropylene woofer	249mm	ea	<b>3 190</b>
<b>SLM3400-C</b>	2-way <b>50mm Shallow depth</b> , 90db, 4" IMG woofer, Aluminium tweeter, enclosed box	210mm	ea	4690
<b>SLM5400-C</b>	2-way <b>50mm Shallow depth</b> , 91db, 4" Cerametallic woofer, Titanium tweeter, enclosed	210mm	ea	5690

**THX**

<b>PRO7502L THX</b>	In-Ceiling LCR 2-Way, THX Ultra2, 93dB Sensitivity, 1" Titanium tweeter, 60°x90°x110° Horn, 2x5.25" Cerametallic™ woofers, Trimless grilles	337mm	ea	<b>15 690</b>
<b>PRO7502S THX</b>	In-Ceiling Surround 2-Way, THX Ultra2, 93dB Sensitivity, 2x1" Titanium tweeter, Stacked Tractrix® Horn, 2x5.25" Cerametallic™ woofers. Trimless grilles	337mm	ea	<b>15 650</b>








<b>R2650W II</b>	2-way, 91dB Sensitivity, 1" Silk tweeter, 6.5" Polypropylene woofer	330x203mm	ea	<b>1 990</b>
<b>R3800W II</b>	2-Way, 93dB Sensitivity, 1" Alu tweeter, 4" 90°x60° pivoting horn, 8" IMG woofer	375x235mm	ea	<b>3 850</b>
<b>R5502W II</b>	2-Way, 92dB Sensitivity, 1" Titan tweeter, 90° Tractrix® horn, 2x5.25" Cerametallic™ woofer	419x165mm	ea	<b>5 490</b>

**THX In-wall**

<b>PRO6504L</b>	2-Way, THX Select2, 92dB Sensitivity, 1" Titanium tweeter, 90°x90° Tractrix® Horn, 4x5.25" Fiberglass woofers, Trimless grilles	692x165mm	ea	<b>10 750</b>
<b>PRO6502L</b>	LCR 2-Way, THX Select2, 92dB Sensitivity, 1" Titanium tweeter, 90°x90° Tractrix® Horn, 2x5.25" Fiberglass woofers, trimless grille	419x165mm	ea	<b>6 890</b>
<b>PRO7800L</b>	LCR 2-Way, THX Ultra2, 91dB Sensitivity, 1" Titanium tweeter, 80°x80° Tractrix® Horn, 8" Cerametallic™ woofer, Trimless grilles	483x254mm	ea	<b>9 650</b>
<b>PRO7800S</b>	Surround 2-Way WDST® system, THX Ultra2, 91dB Sensitivity, 2x1" Titanium tweeters, Stacked Tractrix® Horn, 8" Cerametallic™ woofer, Trimless grille	483x254mm	ea	<b>9 650</b>



**Head Phones**

	<b>Reference On-ear</b>	Full-range 40mm KG-105, 20Hz-20kHz, 32 ohms, 110dB Sensitivity Colour: Black or White	*	<b>2 590</b>
	<b>X11i</b>	Full range KG 926 Armature driver, 5Hz-19kHz, 50 ohms, 10 grams, Tangle-free cables, 110dB Sensitivity, Anodised copper aluminum body, Mic with 3-button remote	*	<b>3 490</b>
	<b>XR8i</b>	Combining the thundering, rich bass of R6i's custom 6.5mm dual magnet dynamic driver with the exceptional tonal balance and high-frequency definition of the KG-723 balanced armature, the Klipsch XR8i Hybrid In-Ear Headphones deliver sound only paralleled by a home theater. Built with a true downward-firing subwoofer, the XR8i makes no compromises. Colour: Aluminium Black	*	<b>3 490</b>
	<b>X6i</b>	Taking the next step from our legendary, award-winning R6i in-ear headphones, the Klipsch Reference X6i in-ear headphones are packed with a single high-clarity, full range balanced armature, offering flat frequency response with an incredible fit. Colour: High gloss black / High gloss white	*	<b>2 590</b>
	<b>R6i</b>	Full range 6.5mm Dual magnet micro speaker, 10Hz-19kHz, 18 ohms, 15.2 grams, 110dB Sensitivity, Mic with 3-button remote Colour: Black or White	*	<b>1 190</b>